SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Finishing Compound

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Polishing agent
Abrasive

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company
Waxoyl GmbH
Hermann-Albertz-Str. 17-23
46045 Oberhausen / GERMANY
Phone +49 (0)208 410 221
E-mail info@waxoyl.ch

Manufacturer
Waxoyl AG
Mühlemattstrasse 24
4104 Oberwil / SWITZERLAND
Phone +41 61 281 77 94
Homepage www.waxoyl.com
E-mail info@waxoyl.ch

Address enquiries to

Technical information info@waxoyl.ch

Safety Data Sheet sdb@chemiebuero.de (No dispatch of safety data sheets)
Safety data sheets are available from the supplier.

1.4 Emergency telephone number

Advisory body +49 (0)89-19240 (24h) (English)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (EC) No 1272/2008]

No classification.

2.2 Label elements

The product is required to be labelled in accordance with regulation CLP.

Hazard pictograms none

Signal word none

Hazard statements none

Precautionary statements none

Special labelling EUH066 Repeated exposure may cause skin dryness or cracking.
EUH210 Safety data sheet available on request.

Contains: 1,2-benzisothiazol-3(2H)-one. EUH208 May produce an allergic reaction.

Cleaner, 648/2004/CE, contains: >=30% aliphatic hydrocarbons
preservatives BENZISOTHIAZOLINONE

2.3 Other hazards

Human health hazards If swallowed or in the event of vomiting, risk of product entering the lungs.
Contains no ingredients with endocrine-disrupting properties.

Environmental hazards Does not contain any PBT or vPvB substances.

Further hazards Further hazards were not determined with the current level of knowledge.

SECTION 3: Composition / Information on ingredients

3.1 Substances

not applicable

3.2 Mixtures

The product is a mixture.

Range [%]	Substance
10 - 25	White mineral oil (petroleum)
	CAS: 8042-47-5, EINECS/ELINCS: 232-455-8, Reg-No.: 01-2119487078-27-XXXX
	GHS/CLP: Asp. Tox. 1: H304
5 - 10	Hydrocarbons, C11-C12, isoalkanes, < 2% aromatics
	EINECS/ELINCS: 918-167-1
	GHS/CLP: Flam. Liq. 3: H226 - Asp. Tox. 1: H304
5 - 10	Hydrocarbons, C11-C13, isoalkanes, <2% aromatics
	EINECS/ELINCS: 920-901-0, Reg-No.: 01-2119456810-40-XXXX
	GHS/CLP: Asp. Tox. 1: H304 - EUH066
< 0,036	1,2-benzisothiazol-3(2H)-one
	CAS: 2634-33-5, EINECS/ELINCS: 220-120-9, EU-INDEX: 613-088-00-6, Reg-No.: 01-2120761540-60-XXXX
	GHS/CLP: Acute Tox. 4: H302 - Acute Tox. 2: H330 - Skin Irrit. 2: H315 - Skin Sens. 1A: H317 - Eye Dam. 1: H318 - Aquatic Acute 1: H400 - Aquatic Chronic 1: H410, M-Factor (acute): 1 , M-Factor (chronic): 1
	SCL [%]: >= 0,036: Skin Sens. 1A: H317

Comment on component parts For full text of H-statements: see SECTION 16.
Mineral oil containing mixture. Mineral oil with < 3% DMSO extract, as measured by IP 346.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information Take off contaminated clothing and wash before reuse.

Inhalation Ensure supply of fresh air.
In the event of symptoms seek medical treatment.

Skin contact In case of contact with skin wash off immediately with soap and water.
Consult a doctor if skin irritation persists.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.

Ingestion Seek medical advice immediately.
Rinse out mouth and give plenty of water to drink.
Do not induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Irritant effects

4.3 Indication of any immediate medical attention and special treatment needed

If swallowed or in the event of vomiting, risk of product entering the lungs.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media Carbon dioxide.
Water spray jet.
Dry powder.
Foam.

Extinguishing media that must not be used Full water jet.

5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.

5.3 Advice for firefighters

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

High risk of slipping due to leakage/spillage of product.
Ensure adequate ventilation.
Use personal protective clothing.

6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).
Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Pick up with absorbent material (e.g. sand, sawdust, universal absorbent, diatomaceous earth).
Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use only in well-ventilated areas.
The normal safety precautions for handling chemicals must be observed.

Wash hands before breaks and after work.
Use barrier skin cream.
Do not eat, drink, smoke or snuff while working.
Take off contaminated clothing and wash before reuse.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.
Prevent penetration into the ground.

Do not store together with oxidizing agents.
Do not store together with food and animal food/diet.

Keep container tightly closed.
Keep container in a well-ventilated place.
Protect from heat/overheating.
Storage: 5 °C - 30 °C

7.3 Specific end use(s)

See product use, SECTION 1.2

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored EU (2004/37/EG)

not relevant

DNEL

Substance
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics
There are no DNEL values established for the substance.
White mineral oil (petroleum), CAS: 8042-47-5
Industrial, dermal, Long-term - systemic effects, 217,05 mg/kg bw/day
Industrial, inhalative, Long-term - systemic effects, 164,56 mg/m³
general population, inhalative, Long-term - systemic effects, 34,78 mg/m³
general population, dermal, Long-term - systemic effects, 93,02 mg/kg bw/day
general population, oral, Long-term - systemic effects, 25 mg/kg bw/day
1,2-benzisothiazol-3(2H)-one, CAS: 2634-33-5
Industrial, inhalative, Long-term - systemic effects, 6,81 mg/m³
Industrial, dermal, Long-term - systemic effects, 0,966 mg/kg bw/day
general population, inhalative, Long-term - systemic effects, 1,2 mg/m³
general population, dermal, Long-term - systemic effects, 0,345 mg/kg bw/day

PNEC

Substance
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics
There are no PNEC values established for the substance.
White mineral oil (petroleum), CAS: 8042-47-5
There are no PNEC values established for the substance.
1,2-benzisothiazol-3(2H)-one, CAS: 2634-33-5
freshwater, 4,03 µg/L
seawater, 0,403 µg/L
sediment (freshwater), 49,9 µg/kg sediment dw
sediment (freshwater), 4,99 µg/kg sediment dw
soil, 3 mg/kg soil dw
sewage treatment plants (STP), 1,03 mg/L

8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances. General exposure limit for oil mist should be noted.
Eye protection	Safety glasses. (EN 166:2001)
Hand protection	> 0,4 mm Nitrile rubber, >240 min (EN 374-1/-2/-3). The details concerned are recommendations. Please contact the glove supplier for further information.
Skin protection	Protective clothing (EN 340)
Other	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin.
Respiratory protection	Not required under normal conditions.
Thermal hazards	none
Delimitation and monitoring of the environmental exposition	Protect the environment by applying appropriate control measures to prevent or limit emissions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Form	viscous
Color	white
Odor	characteristic
Odour threshold	not required
pH-value	7 - 10
pH-value [1%]	not determined
Boiling point or initial boiling point and boiling range [°C]	> 100
Flash point [°C]	> 100
Flammability	not applicable
Lower explosion limit	not determined
Upper explosion limit	not determined
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	2,3 (20 °C)
Density [g/cm³]	1 (20 °C / 68,0 °F)
Relative density	not determined
Bulk density [kg/m³]	not applicable
Solubility in water [g/L]	partially miscible
Solubility other solvents	No information available.
Partition coefficient n-octanol/water (log value)	not determined
Kinematic viscosity	> 20,6 mm²/s (40 °C)
Relative vapour density	not relevant
Melting point [°C]	not determined
Auto-ignition temperature [°C]	not applicable
Decomposition temperature [°C]	not determined
Particle characteristics	not relevant

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents.

10.4 Conditions to avoid

See SECTION 7.2.

10.5 Incompatible materials

Oxidizing agent

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

Product
ATE-mix, oral, > 2000 mg/kg

Substance
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics
LD50, oral, Rat, > 5000 mg/kg, OECD 401
White mineral oil (petroleum), CAS: 8042-47-5
LD50, oral, Rat, >5000 mg/kg (OECD 401)
1,2-benzisothiazol-3(2H)-one, CAS: 2634-33-5
ATE, oral, 450 mg/kg bw

Acute dermal toxicity

Product
ATE-mix, dermal, > 2000 mg/kg

Substance
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics
LD50, dermal, Rabbit, > 5000 mg/kg, OECD 402
White mineral oil (petroleum), CAS: 8042-47-5
LD50, dermal, Rabbit, >2000 mg/kg (OECD 402)
1,2-benzisothiazol-3(2H)-one, CAS: 2634-33-5
LD50, dermal, Rat, > 2000 mg/kg bw

Acute inhalational toxicity

Product
ATE-mix, inhalation (vapour), > 20 mg/l 4h

Substance
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics
LC50, inhalativ (mist), Rat, > 5600 mg/m³/4h, OECD 403
LC50, inhalation (vapour), Rat, > 4951 mg/m³/4h, OECD 403, no adverse effect observed
White mineral oil (petroleum), CAS: 8042-47-5
LC50, inhalative, Rat, >5000 mg/m³ (4h) (OECD 403)
1,2-benzisothiazol-3(2H)-one, CAS: 2634-33-5
ATE, inhalativ (dust/mist), 0,21 mg/l

Serious eye damage/irritation Based on the available information, the classification criteria are not fulfilled.

Substance
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics
Rabbit, in vivo, OECD 405, non-irritating
White mineral oil (petroleum), CAS: 8042-47-5
Eye, Rabbit, OECD 405, non-irritating
1,2-benzisothiazol-3(2H)-one, CAS: 2634-33-5
in vitro, OECD 437, Can cause irreversible damage to the eyes.

Skin corrosion/irritation Based on the available information, the classification criteria are not fulfilled.

Substance
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics
Rabbit, in vivo, OECD 404, non-irritating
White mineral oil (petroleum), CAS: 8042-47-5

dermal, Rabbit, OECD 404, non-irritating
1,2-benzisothiazol-3(2H)-one, CAS: 2634-33-5
dermal, non-irritating

Respiratory or skin sensitisation Based on the available information, the classification criteria are not fulfilled.

Substance
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics
inhalative, non-sensitizing
dermal, Guinea pig, OECD 406, non-sensitizing
White mineral oil (petroleum), CAS: 8042-47-5
dermal, Guinea pig, OECD 406, non-sensitizing
1,2-benzisothiazol-3(2H)-one, CAS: 2634-33-5
dermal, Guinea pig, In vivo study, sensitising

Specific target organ toxicity — single exposure Based on the available information, the classification criteria are not fulfilled.

Substance
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics
no adverse effect observed

Specific target organ toxicity — repeated exposure Based on the available information, the classification criteria are not fulfilled.

Substance
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics
NOAEL, oral, Rat, 1000 mg/kg bw/day, no adverse effect observed
NOAEC, inhalative, Rat, 10.4 mg/L, no adverse effect observed
White mineral oil (petroleum), CAS: 8042-47-5
NOAEL, dermal, Rat, 2000 mg/kg bw/day, OECD 411
NOAEL, oral, Rat, 1200 mg/kg bw/day, OECD 451
NOEL, inhalative, Rat, 50 mg/m³, OECD 412
1,2-benzisothiazol-3(2H)-one, CAS: 2634-33-5
NOAEL, oral, Rat, 69 - 150 mg/kg bw/day, The effects observed are not sufficient for classification.

Mutagenicity Based on the available information, the classification criteria are not fulfilled.

Substance
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics
in vitro, negative
in vivo, negative
1,2-benzisothiazol-3(2H)-one, CAS: 2634-33-5
in vitro, OECD 476, no adverse effect observed

Reproduction toxicity Based on the available information, the classification criteria are not fulfilled.

- Fertility

Substance
White mineral oil (petroleum), CAS: 8042-47-5
NOAEL, oral, Rat, 1000 mg/kg bw/day (subchronic), no adverse effect observed
1,2-benzisothiazol-3(2H)-one, CAS: 2634-33-5
NOAEL, oral, Rat, 112 mg/kg bw/day, no adverse effect observed

- Development

Substance
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics
OECD 414, no adverse effect observed (by analogy with similar substances)

Carcinogenicity Based on the available information, the classification criteria are not fulfilled.

Substance
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics
OECD 453, no adverse effect observed
White mineral oil (petroleum), CAS: 8042-47-5
NOAEL, oral, Rat, 1200 mg/kg bw/day, OECD 453, no adverse effect observed

Aspiration hazard Based on the available information, the classification criteria are not fulfilled.

General remarks

Toxicological data of complete product are not available.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

11.2.2 Other information none

SECTION 12: Ecological information

12.1 Toxicity

Substance
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics
EL0, (72h), Pseudokirchneriella subcapitata, 1000 mg/L
EL0, (48h), Daphnia magna, 1000 mg/L
NOELR, (72h), Pseudokirchneriella subcapitata, 1000 mg/L
NOELR, (21d), Daphnia magna, 1 mg/L
LL0, (96h), Oncorhynchus mykiss, 1000 mg/L
White mineral oil (petroleum), CAS: 8042-47-5
LC50, (96h), Leuciscus idus, >1000 mg/l (OECD 203)
NOEC, (28d), Fish, >= 1000 mg/l
NOEC, (21d), Daphnia sp., >= 1000 mg/l
LL50, (48h), Daphnia magna, >100 mg/l (OECD 202)
NOEL, (72h), Algae, >=100 mg/l (OECD 201)
1,2-benzisothiazol-3(2H)-one, CAS: 2634-33-5
LC50, (96h), Fish, 2.15 - 22 mg/L, OECD 203
EC50, (48h), Invertebrates, 2.9 - 2.94 mg/L, OECD 202
EC50, (72h), Algae, 0,11 mg/L, OECD 201
EC50, (3h), Microorganisms, 12,8 mg/L, OECD 209
NOEC, (33d), Pimephales promelas, 0,2 mg/L, OECD 210
NOEC, (21d), Daphnia magna, 0,91 mg/L, OECD 211
NOEC, (72h), Algae, 0,0403 mg/L, OECD 201

12.2 Persistence and degradability

Behaviour in environment compartments not determined

Behaviour in sewage plant not determined

Biological degradability not determined

Substance
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics
(28d), 31,3 %, Inherently biologically degradable
1,2-benzisothiazol-3(2H)-one, CAS: 2634-33-5
(63d), < 1 %, OECD 301 C, The product is not biodegradable.

12.3 Bioaccumulative potential

Accumulation in organisms is not expected.

Substance
1,2-benzisothiazol-3(2H)-one, CAS: 2634-33-5
BCF, 6,62, OECD 305
log Pow, 0,7 (20°C)

12.4 Mobility in soil

Spillages may penetrate the soil causing ground water contamination.

Substance
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics
Koc, 51,29 - 354 813,39
log Koc, 1,71 - 5,95

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

12.7 Other adverse effects

None known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

Disposal in an incineration plant in accordance with the regulations of the local authorities.

Waste no. (recommended) 120121

Contaminated packaging

Packaging that cannot be cleaned should be disposed of as for product.
Uncontaminated packaging may be taken for recycling.

Waste no. (recommended) 150102

SECTION 14: Transport information

14.1 UN number or ID number

Transport by land according to ADR/RID NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with IMDG NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.2 UN proper shipping name

Transport by land according to ADR/RID	NO DANGEROUS GOODS
Inland navigation (ADN)	NO DANGEROUS GOODS
Marine transport in accordance with IMDG	NOT CLASSIFIED AS "DANGEROUS GOODS"
Air transport in accordance with IATA	NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to ADR/RID	NO DANGEROUS GOODS
Inland navigation (ADN)	NO DANGEROUS GOODS
Marine transport in accordance with IMDG	NOT CLASSIFIED AS "DANGEROUS GOODS"
Air transport in accordance with IATA	NOT CLASSIFIED AS "DANGEROUS GOODS"

14.4 Packing group

Transport by land according to ADR/RID	NO DANGEROUS GOODS
Inland navigation (ADN)	NO DANGEROUS GOODS
Marine transport in accordance with IMDG	NOT CLASSIFIED AS "DANGEROUS GOODS"
Air transport in accordance with IATA	NOT CLASSIFIED AS "DANGEROUS GOODS"

14.5 Environmental hazards

Transport by land according to ADR/RID	no
Inland navigation (ADN)	no
Marine transport in accordance with IMDG	no
Air transport in accordance with IATA	no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS	2008/98/EG (2000/532/EC); 2010/75/EU; 2004/42/EG; (EG) 648/2004; (EC) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EWG ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131; (EU) 2024/573; (EU) 2019/1148; (EU) 2019/1021, (EU) 2023/707
- Comment on component parts	Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.
- Annex XIV (REACH)	According to Annex XIV of Regulation (EC) 1907/2006 (REACH) the product does not contain any substances ≥ 0.1% that are subject to authorisation.
- Annex XVII (REACH)	According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product contains ≥ 0.1% of substances with the following restrictions. 40
TRANSPORT-REGULATIONS	ADR (2025); IMDG-Code (2025, 42. Amdt.); IATA-DGR (2026, 67th Edition)
NATIONAL REGULATIONS (EU):	
- Observe employment restrictions for people	no
- VOC (2010/75/CE)	< 13 %

15.2 Chemical safety assessment

not applicable

SECTION 16: Other information

16.1 Hazard statements (SECTION 3)

H410 Very toxic to aquatic life with long lasting effects.
H400 Very toxic to aquatic life.
H318 Causes serious eye damage.
H317 May cause an allergic skin reaction.
H315 Causes skin irritation.
H330 Fatal if inhaled.
H302 Harmful if swallowed.
EUH066 Repeated exposure may cause skin dryness or cracking.
H226 Flammable liquid and vapour.
H304 May be fatal if swallowed and enters airways.

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
ATE = acute toxicity estimate
CAS = Chemical Abstracts Service
CLP = Classification, Labelling and Packaging
DMEL = Derived Minimum Effect Level
DNEL = Derived No Effect Level
EC50 = Median effective concentration
ECB = European Chemicals Bureau
EEC = European Economic Community
EINECS = European Inventory of Existing Commercial Chemical Substances
EL50 = Median effective loading
ELINCS = European List of Notified Chemical Substances
EmS = Emergency Schedules
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IATA = International Air Transport Association
IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
IC50 = Inhibition concentration, 50%
IMDG = International Maritime Code for Dangerous Goods
IUCLID = International Uniform ChemicaL Information Database
IVIS = In vitro irritation score
LC50 = Lethal concentration, 50%
LD50 = Median lethal dose
LC0 = lethal concentration, 0%
LOAEL = lowest-observed-adverse-effect level
LL50 = Median lethal loading
LQ = Limited Quantities
MARPOL = International Convention for the Prevention of Marine Pollution from Ships
NOAEL = No Observed Adverse Effect Level
NOEC = No Observed Effect Concentration
PBT = Persistent, Bioaccumulative and Toxic substance
PNEC = Predicted No-Effect Concentration
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
STP = Sewage Treatment Plant
TLV®/TWA = Threshold limit value – time-weighted average
TLV®STEL = Threshold limit value – short-time exposure limit
VOC = Volatile Organic Compounds
vPvB = very Persistent and very Bioaccumulative

16.3 Other information

This document does not comply with Regulation (EC) No 1907/2006, article 31 (5) and may be used for internal purposes only.

Modified position none

Copyright: Chemiebüro®