SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Waxoyl PF (Solution)

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Corrosion protection

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company

WAXOYL AG
Seewenweg 5
4153 Reinach / SWITZERLAND
Phone +41-61-28177 94
Fax +41-61-28177 85
Homepage www.waxoyl.com
E-mail info@waxoyl.ch

Address enquiries to

Technical information info@waxoyl.ch

Safety Data Sheet sdb@chemiebuero.de (No dispatch of safety data sheets)

Safety data sheets are available from the supplier.

1.4 Emergency telephone number

Advisory body +31 (0)30-2748888 (Uitsluitend bestemd om artsen te informeren bij accidentele vergiftigingen)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture [REGULATION (EC) No 1272/2008]

No classification.

2.2 Label elements

The product is required to be labelled in accordance with regulation CLP.

Hazard pictograms none

Signal word none

Hazard statements none

Precautionary statements none

Special labelling EUH210 Safety data sheet available on request.
EUH066 Repeated exposure may cause skin dryness or cracking.

Contains: Sulfonic acids, petroleum, calcium salts. EUH208 May produce an allergic reaction.

2.3 Other hazards

Human health dangers If swallowed or in the event of vomiting, risk of product entering the lungs.
The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Environmental hazards This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Other hazards Further hazards were not determined with the current level of knowledge.

SECTION 3: Composition / Information on ingredients

3.1 Substances

not applicable

3.2 Mixtures

The product is a mixture.

Range [%]	Substance
20 - <25	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics
	EINECS/ELINCS: 918-481-9, Reg-No.: 01-2119457273-39-XXXX
	GHS/CLP: Asp. Tox. 1: H304 - EUH066
10 - <20	Distillates (petroleum), hydrotreated light paraffinic
	CAS: 64742-55-8, EINECS/ELINCS: 265-158-7, EU-INDEX: 649-468-00-3, Reg-No.: 01-2119487077-29-XXXX
	GHS/CLP: Asp. Tox. 1: H304
2,5 - <5	Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt)
	CAS: 64742-65-0, EINECS/ELINCS: 265-169-7, Reg-No.: 01-2119471299-27-XXXX
	GHS/CLP: Asp. Tox. 1: H304
2,5 - <5	Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract)
	CAS: 64742-54-7, EINECS/ELINCS: 265-157-1, EU-INDEX: 649-467-00-8, Reg-No.: 01-2119484627-25-XXXX
	GHS/CLP: Asp. Tox. 1: H304
1 - <2,5	Sulfonic acids, petroleum, calcium salts
	CAS: 61789-86-4, EINECS/ELINCS: 263-093-9, Reg-No.: 01-2119488992-18-XXXX
	GHS/CLP: Skin Sens. 1B: H317
	SCL [%]: >= 10: Skin Sens. 1B: H317

Comment on component parts For full text of H-statements: see SECTION 16.
Contains less than 3% w/w DMSO-extract (only for mineral oils)

SECTION 4: First aid measures

4.1 Description of first aid measures

General information Take off contaminated clothing and wash before reuse.

Inhalation Ensure supply of fresh air.
In the event of symptoms seek medical treatment.

Skin contact When in contact with the skin, clean with soap and water.
Consult a doctor if skin irritation persists.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.

Ingestion Seek medical advice immediately.
Do not induce vomiting.
Rinse out mouth and give plenty of water to drink.

4.2 Most important symptoms and effects, both acute and delayed

Irritant effects
Headache
Vertigo

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.
If swallowed or in the event of vomiting, risk of product entering the lungs.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media Water spray jet.
Carbon dioxide.
Alcohol-resistant foam.
Dry powder.

Extinguishing media that must not be used Full water jet.

5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.

5.3 Advice for firefighters

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.
Cool containers at risk with water spray jet.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

High risk of slipping due to leakage/spillage of product.
Keep away from all sources of ignition.
Use personal protective equipment.

6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).
Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g. general-purpose binder).
Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

The normal safety precautions for handling chemicals must be observed.
Provide suitable vacuuming at the processing area.

Keep away from all sources of ignition - Refrain from smoking.
Take precautionary measures against static discharges.

After worktime and before work breaks the affected skin areas must be thoroughly cleaned.
Use barrier skin cream.
Do not eat, drink, smoke or take drugs at work.
Take off contaminated clothing and wash before reuse.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.
Prevent penetration into the ground.

Do not store together with food and animal food/diet.
Do not store together with oxidizing agents.

Keep container in a well-ventilated place.
Keep container tightly closed.
Protect from heat/overheating.
Keep away from frost.
Keep in a cool place.

7.3 Specific end use(s)

See product use, SECTION 1.2

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored EU (2004/37/EG)

not relevant

DNEL

Substance
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics
There are no DNEL values established for the substance.
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
Industrial, inhalative, Long-term - systemic effects, 2.73 mg/m³
Industrial, inhalative, Long-term - local effects, 5.58 mg/m³
Industrial, dermal, Long-term - systemic effects, 970 µg/kg bw/day
general population, inhalative, Long-term - local effects, 1.19 mg/m³
general population, oral, Long-term - systemic effects, 740 µg/kg bw/day
Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0
Industrial, inhalative, Long-term - systemic effects, 2,73 mg/m³
Industrial, inhalative, Long-term - local effects, 5,58 mg/m³
Industrial, dermal, Long-term - systemic effects, 970 µg/kg bw/day
general population, oral, Long-term - local effects, 740 µg/kg bw/day
Sulfonic acids, petroleum, calcium salts, CAS: 61789-86-4
Industrial, inhalative, Long-term - systemic effects, 11,75 mg/m³
Industrial, dermal, Long-term - systemic effects, 3,33 mg/kg bw/d
Industrial, dermal, Long-term - local effects, 1,03 mg/cm²
general population, inhalative, Long-term - systemic effects, 2,9 mg/m³
general population, dermal, Long-term - systemic effects, 1,667 mg/kg bw/day
general population, dermal, Long-term - local effects, 0,513 mg/cm²
general population, oral, Long-term - systemic effects, 0,833 mg/kg bw/day
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8
Industrial, inhalative, Long-term - systemic effects, 2,73 mg/m³
Industrial, inhalative, Long-term - local effects, 5,58 mg/m³
Industrial, dermal, Long-term - systemic effects, 0,97 mg/kg
general population, oral, Long-term - systemic effects, 0,74 mg/kg

PNEC

Substance
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics
There are no PNEC values established for the substance.
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
oral (food), 9,33 mg/kg
Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0
oral (food), 9,33 mg/kg food
Sulfonic acids, petroleum, calcium salts, CAS: 61789-86-4
freshwater, 1 mg/l (AF=1000)
seawater, 1 mg/l (AF=10000)
sewage treatment plants (STP), 1000 mg/l (AF=10)
sediment (freshwater), 226 000 000 mg/kg dw
sediment (seawater), 226 000 000 mg/kg dw
soil, 271 000 000 mg/kg dw
oral (food), 16,667 mg/kg food
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8
oral (food), 9,33 mg/kg

8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
Eye protection	Safety glasses. (EN 166:2001)
Hand protection	0,7 mm Nitrile rubber, >480 min (EN 374-1/-2/-3). The details concerned are recommendations. Please contact the glove supplier for further information.
Skin protection	Protective clothing (EN 340)
Other	Avoid contact with eyes and skin. Do not breathe vapour/spray. Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact during pregnancy/ while nursing.
Respiratory protection	In the event of occupational exposure limits being exceeded or of inadequate ventilation: wear appropriate respiratory protection. Short term: filter apparatus, combination filter A-P2. (DIN EN 14387)
Thermal hazards	none
Delimitation and monitoring of the environmental exposition	Protect the environment by applying appropriate control measures to prevent or limit emissions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Form	liquid
Color	beige
Odor	mild
Odour threshold	not relevant
pH-value	not applicable
pH-value [1%]	not applicable
Boiling point or initial boiling point and boiling range [°C]	>= 175
Flash point [°C]	>= 61
Flammability	Not highly flammable.
Lower explosion limit	0,5 Vol.%
Upper explosion limit	7,0 Vol.%
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	not determined
Density [g/cm³]	1,09 (15 °C / 59,0 °F)
Relative density	not determined
Bulk density [kg/m³]	not applicable
Solubility in water	insoluble
Solubility other solvents	No information available.
Partition coefficient n-octanol/water (log value)	not determined
Kinematic viscosity	145 - 175 mPa.s (23°C) > 20,5 mm2/s (40°C)
Relative vapour density	not determined
Melting point [°C]	not determined
Auto-ignition temperature [°C]	> 200
Decomposition temperature [°C]	not determined
Particle characteristics	not applicable

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

The product is stable under standard conditions.

10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents.
Evolution of flammable mixtures possible in air when heated above flash point and/or during spraying or misting.

10.4 Conditions to avoid

See SECTION 7.2.

10.5 Incompatible materials

Oxidizing agent

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

Product
ATE-mix, oral, > 2000 mg/kg

Substance
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics
LD50, oral, Rat, 5000 - 15000 mg/kg bw
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
LD50, oral, Rat, 5000 mg/kg bw
Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0
LD50, oral, Rat, 5000 mg/kg bw
Sulfonic acids, petroleum, calcium salts, CAS: 61789-86-4
LD50, oral, Rat, >5000 mg/kg bw
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8
no adverse effect observed (by analogy with similar substances), (CAS 64742-56-9),
LC50, oral, Rat, > 5000 mg/kg, OECD 401

Acute dermal toxicity

Product
ATE-mix, dermal, > 2000 mg/kg

Substance
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics
LD50, dermal, Rat, >2000 mg/kg bw
LD50, dermal, Rabbit, 3160 - 5000 mg/kg bw
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
LD50, dermal, Rabbit, 2000 - 5000 mg/kg bw
Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0
LD50, dermal, Rabbit, > 2000 - 5000 mg/kg bw
Sulfonic acids, petroleum, calcium salts, CAS: 61789-86-4
LD50, dermal, Rabbit, > 5000 mg/kg bw >5000 mg/kg bw
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8
no adverse effect observed (by analogy with similar substances), (CAS 64742-56-9),
LD50, dermal, Rabbit, > 5000 mg/kg, OECD 402

Acute inhalational toxicity

Product
ATE-mix, inhalation (vapour), > 20 mg/l 4h

Substance
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics
LC50, inhalative, Rat, 5 mg/L air, 8h
LC50, inhalative, Rat, 41 - 4467 ppm, 8h
LC50, inhalative, Rat, 4,951 - 9,3 mg/L air, 4h
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
LC50, inhalative, Rat, 2.18 - 5.53 mg/L air, 4h
Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0
LC50, inhalative, Rat, 2,18 - 5,53 mg/L air 4h, 4h
Sulfonic acids, petroleum, calcium salts, CAS: 61789-86-4
LC50, inhalative, Rat, >1.9 mg/L air

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8
LC50, inhalativ (mist), Rat, > 5,53 mg/l, OECD 403, 4h

Serious eye damage/irritation

Does not contain a relevant substance that meets the classification criteria.
Based on the available information, the classification criteria are not fulfilled.
Toxicological data of complete product are not available.

Substance
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics
Eye, no adverse effect observed
Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0
Eye, non-irritating
Sulfonic acids, petroleum, calcium salts, CAS: 61789-86-4
Eye, no adverse effect observed
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8
Rabbit (eye), OECD 405, non-irritating

Skin corrosion/irritation

Does not contain a relevant substance that meets the classification criteria.
Based on the available information, the classification criteria are not fulfilled.
Toxicological data of complete product are not available.

Substance
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics
dermal, no adverse effect observed
Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0
dermal, non-irritating
Sulfonic acids, petroleum, calcium salts, CAS: 61789-86-4
dermal, no adverse effect observed
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8
Rabbit, in vivo, non-irritating

Respiratory or skin sensitisation

Based on the available information, the classification criteria are not fulfilled.
Toxicological data of complete product are not available.
No classification due to substance-specific concentration limits.

Substance
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics
dermal, non-sensitizing
Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0
dermal, non-sensitizing
Sulfonic acids, petroleum, calcium salts, CAS: 61789-86-4
dermal, sensitising
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8
dermal, Guinea pig, OECD 406, non-sensitizing

Specific target organ toxicity — single exposure

Does not contain a relevant substance that meets the classification criteria.
Based on the available information, the classification criteria are not fulfilled.
Toxicological data of complete product are not available.

Specific target organ toxicity — repeated exposure

Does not contain a relevant substance that meets the classification criteria.
Based on the available information, the classification criteria are not fulfilled.
Toxicological data of complete product are not available.

Substance
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics
NOAEL, oral, Rat, 500 mg/kg bw/day
NOAEL, dermal, Rabbit, 2000 mg/kg bw/day
NOAEC, inhalative, mouse, 11600 mg/m³
NOAEC, inhalative, Rat, 6000 mg/m³
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
NOAEL, dermal, Rat, 30 - 2000 mg/kg bw/day

NOAEL, dermal, Rabbit, 1000 mg/kg bw/day
NOAEC, inhalative, Rat, 980 mg/m³ air
LOAEL, oral, Rat, 125 mg/kg bw/day
Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0
NOAEL, inhalative, Rat, 980 mg/m³ air, no adverse effect observed
LOAEL, dermal, mouse, 100 mg/kg bw/day, The effects observed are not sufficient for classification.
LOAEL, oral, Rat, 125 mg/kg bw/day, The effects observed are not sufficient for classification.
Sulfonic acids, petroleum, calcium salts, CAS: 61789-86-4
NOAEL, oral, Rat, 500 mg/kg bw/day, adverse effect observed
NOAEL, dermal, Rat, 1000 mg/kg bw/day, no adverse effect observed
NOAEC, inhalative, Rat, 881,58 mg/m³, no adverse effect observed
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8
no adverse effect observed (by analogy with similar substances), (CAS 64742-04-7),
NOAEL, dermal, Rat, >= 2000 mg/kg, OECD 411
NOAEL, inhalative, Rat, > 980 mg/m³, OECD 412
LOAEL, oral, Rat, 125 mg/kg, OECD 408

Mutagenicity

Does not contain a relevant substance that meets the classification criteria.
Based on the available information, the classification criteria are not fulfilled.
Toxicological data of complete product are not available.

Substance
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics
in vitro, negativ
in vivo, negativ
Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0
in vitro, negativ
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8
in vitro, OECD 471, negativ
in vivo, OECD 474, negativ

Reproduction toxicity

Based on the available information, the classification criteria are not fulfilled.
Toxicological data of complete product are not available.

- Fertility

Substance
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
NOAEL, oral, Rat, 1000 mg/kg bw/d (Effect on fertility), no adverse effect observed
Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0
NOAEL, oral, Rat, 1000 mg/kg bw/d, no adverse effect observed
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8
NOAEL, Rat, (P, F1) : >= 1000 mg/kg, OECD 421

- Development

Substance
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics
NOAEC, inhalative, Rat, 5220 mg/m³
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8
NOAEL, Rat, 2000 mg/kg, OECD 414
LOAEL, Rat, 125 mg/kg, OECD 414

Carcinogenicity

Does not contain a relevant substance that meets the classification criteria.
Based on the available information, the classification criteria are not fulfilled.
Toxicological data of complete product are not available.

Aspiration hazard

Based on available data, the classification criteria are not met.

General remarks

none

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties Contains no ingredients with endocrine-disrupting properties.

11.2.2 Other information none

SECTION 12: Ecological information

12.1 Toxicity

Substance
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics
EL50, (72h), Algae, 1 g/L
NOELR, (28d), Fish, 101 µg/L
NOELR, (72h), Algae, 1 g/L
LL50, (96h), Fish, 1 g/L
LL50, (72h), Fish, 1 g/L
LL50, (48h), Fish, 1 g/L
LL50, (24h), Fish, 1 g/L
LL50, (24h), Invertebrates, 1 g/L
LL50, (48h), Invertebrates, 1 g/L
LL50, (72h), Invertebrates, 1 g/L
LL50, (96h), Invertebrates, 1 g/L
LL0, (96h), Fish, 1 g/L
LL0, (24h), Invertebrates, 1 g/L
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
EC50, (48h), > 10000 mg/l (Gammarus pulex), OECD 202
EC50, (72h), Algae, > 100 mg/l
NOEC, (72h), Pseudokirchneriella subcapitata, ≥ 100 mg/l, OECD 201
NOEC, (21d), Daphnia magna, 10 mg/l, OECD 211
LL50, (96h), Fish, > 100 mg/l, OECD 203
Distillates (petroleum), solvent-dewaxed heavy paraffinic (< 3% DMSO Extrakt), CAS: 64742-65-0
NOELR, (14d), Fish, 1 g/L
LL50, (96h), Invertebrates, 10 g/L
LL50, (96h), Fish, 100 mg/L
Sulfonic acids, petroleum, calcium salts, CAS: 61789-86-4
NOEC, (72h), Pseudokirchneriella subcapitata, 1000 mg/l
LL50, (96h), Fish, > 10 000 mg/l
EC0, (48h), Daphnia magna, >1000 mg/l
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8
LC50, (96h), Pimephales promelas, > 100 mg/l, OECD 203
EL50, (48h), Daphnia magna, > 10 000 mg/l, OECD 202
NOELR, (14d), Oncorhynchus mykiss, >= 1000 mg/l
NOEL, (72h), Pseudokirchneriella subcapitata, >= 100 mg/l, OECD 201
NOEL, (21d), Daphnia magna, 10 mg/l, OECD 211
NOEL, (72h), Pseudokirchneriella subcapitata, >= 100 mg/l, OECD 201

12.2 Persistence and degradability

Behaviour in environment compartments not determined

Behaviour in sewage plant not determined

Biological degradability not determined

Substance
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics
(28d), >= 60 %, OECD 301 F
Destillates (petroleum), hydrotreated heavy paraffinic (containing < 3% DMSO-extract), CAS: 64742-54-7
(28d), 31 %, OECD 301 F, The product is not readily biodegradable.
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8
(28d), 2 - 4 %, OECD 301 B
(28d), 31,13 %, OECD 301 F
The product is not readily biodegradable.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

Spillages may penetrate the soil causing ground water contamination.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.

12.7 Other adverse effects

None known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

Coordinate disposal with the disposal contractor/authorities if necessary.
Disposal in an incineration plant in accordance with the regulations of the local authorities.

Waste no. (recommended) 080112

Contaminated packaging

Uncontaminated packaging may be taken for recycling.
Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended) 150102

SECTION 14: Transport information

14.1 UN number or ID number

Transport by land according to ADR/RID	not applicable
Inland navigation (ADN)	not applicable
Marine transport in accordance with IMDG	not applicable
Air transport in accordance with IATA	not applicable

14.2 UN proper shipping name

Transport by land according to ADR/RID	NO DANGEROUS GOODS
Inland navigation (ADN)	NO DANGEROUS GOODS
Marine transport in accordance with IMDG	NOT CLASSIFIED AS "DANGEROUS GOODS"
Air transport in accordance with IATA	NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to ADR/RID	not applicable
Inland navigation (ADN)	not applicable
Marine transport in accordance with IMDG	not applicable
Air transport in accordance with IATA	not applicable

14.4 Packing group

Transport by land according to ADR/RID	not applicable
Inland navigation (ADN)	not applicable
Marine transport in accordance with IMDG	not applicable
Air transport in accordance with IATA	not applicable

14.5 Environmental hazards

Transport by land according to ADR/RID	no
Inland navigation (ADN)	no
Marine transport in accordance with IMDG	no
Air transport in accordance with IATA	no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS	2008/98/EG (2000/532/EC); 2010/75/EU; 2004/42/EG; (EG) 648/2004; (EC) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EWG ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131; (EU) 517/2014; (EU) 2019/1148; (EU) 2019/1021, (EU) 2023/707
- Comment on component parts	Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.
- Annex XIV (REACH)	According to Annex XIV of Regulation (EC) 1907/2006 (REACH) the product does not contain any substances ≥ 0.1% that are subject to authorisation.
- Annex XVII (REACH)	According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product contains ≥ 0.1% of substances with the following restrictions. 75
	According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product is not subject to any restrictions.
TRANSPORT-REGULATIONS	ADR (2025); IMDG-Code (2025, 42. Amdt.); IATA-DGR (2025)
NATIONAL REGULATIONS (EU):	
- Observe employment restrictions for people	none
- VOC (2010/75/CE)	21 %

15.2 Chemical safety assessment

not applicable

SECTION 16: Other information

16.1 Hazard statements (SECTION 3)

H317 May cause an allergic skin reaction.

EUH066 Repeated exposure may cause skin dryness or cracking.
H304 May be fatal if swallowed and enters airways.

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
ATE = acute toxicity estimate
CAS = Chemical Abstracts Service
CLP = Classification, Labelling and Packaging
DMEL = Derived Minimum Effect Level
DNEL = Derived No Effect Level
EC50 = Median effective concentration
ECB = European Chemicals Bureau
EEC = European Economic Community
EINECS = European Inventory of Existing Commercial Chemical Substances
EL50 = Median effective loading
ELINCS = European List of Notified Chemical Substances
EmS = Emergency Schedules
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IATA = International Air Transport Association
IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
IC50 = Inhibition concentration, 50%
IMDG = International Maritime Code for Dangerous Goods
IUCLID = International Uniform ChemicaL Information Database
IVIS = In vitro irritation score
LC50 = Lethal concentration, 50%
LD50 = Median lethal dose
LC0 = lethal concentration, 0%
LOAEL = lowest-observed-adverse-effect level
LL50 = Median lethal loading
LQ = Limited Quantities
MARPOL = International Convention for the Prevention of Marine Pollution from Ships
NOAEL = No Observed Adverse Effect Level
NOEC = No Observed Effect Concentration
PBT = Persistent, Bioaccumulative and Toxic substance
PNEC = Predicted No-Effect Concentration
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
STP = Sewage Treatment Plant
TLV®/TWA = Threshold limit value – time-weighted average
TLV®STEL = Threshold limit value – short-time exposure limit
VOC = Volatile Organic Compounds
vPvB = very Persistent and very Bioaccumulative

16.3 Other information

This document does not comply with Regulation (EC) No 1907/2006, article 31 (5) and may be used for internal purposes only.

Classification procedure

Modified position none

Copyright: Chemiebüro®